



HAL
open science

Evaluation of the acceptability and usability of augmentative and alternative communication (AAC) tools: the example of pictogram grid communication systems with voice output

Lucie Chasseur, Marion Dohen, Benjamin Lecouteux, Sébastien Riou, Amélie
Rochet-Capellan, Didier Schwab

► To cite this version:

Lucie Chasseur, Marion Dohen, Benjamin Lecouteux, Sébastien Riou, Amélie Rochet-Capellan, et al..
Evaluation of the acceptability and usability of augmentative and alternative communication (AAC)
tools: the example of pictogram grid communication systems with voice output. ACM SIGACCESS
Conference on Computers and Accessibility, 2020, Athènes, Greece. hal-02896668v1

HAL Id: hal-02896668

<https://hal.univ-grenoble-alpes.fr/hal-02896668v1>

Submitted on 10 Jul 2020 (v1), last revised 17 Oct 2020 (v2)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Evaluation of the acceptability and usability of augmentative and alternative communication (AAC) tools: the example of pictogram grid communication systems with voice output.

LUCIE CHASSEUR, MARION DOHEN, BENJAMIN LECOUTEUX, SÉBASTIEN RIOU, AMÉLIE ROCHET-CAPELLAN, and DIDIER SCHWAB, Laboratoire d'Informatique de Grenoble, Grenoble, France and Université Grenoble Alpes, CNRS, Grenoble INP, Gipsa-lab, Grenoble, France

The multiplication of communication software based on pictogram grids with voice output has led to the democratisation of this type of tool. To date, however, there is no standard, nor systematic evaluation that makes it possible to objectively measure the suitability of these tools for a given language. There are also no methods for designers to improve the organisation of words into grids to optimise sentence production. This paper is a first step in this direction. We represented the Proloquo2Go Crescendo vocabulary for a given grid size as a graph and computed the production cost of frequent sentences in French. This cost depends on the physical distance between the pictograms on a given page and navigation between pages. We discuss the interest of this approach for the evaluation as well as the conception of communicative pictogram grids.

Additional Key Words and Phrases: Augmentative and Alternative Communication, pictograms, evaluation

ACM Reference Format:

Lucie Chasseur, Marion Dohen, Benjamin Lecouteux, Sébastien Riou, Amélie Rochet-Capellan, and Didier Schwab. 2020. Evaluation of the acceptability and usability of augmentative and alternative communication (AAC) tools: the example of pictogram grid communication systems with voice output.. 1, 1 (July 2020), 5 pages. <https://doi.org/10.1145/nnnnnnn.nnnnnnn>

1 INTRODUCTION

Pictogram grid communication systems with voice output (PGCS) provide an interesting support for the communication of speakers with speech and language impairment. First available only on dedicated devices, they are now available on computers, tablet computers as well as smart phones for free or at a reasonable cost. In most of the cases, the software include a "vocabulary" i.e. a set of words associated with pictograms for a given language. Pictograms are then organised into pages of two dimensional tables. This organisation depends on the designers' view of language organisation and can favour lexical, pragmatic or syntactic constraints. The software then provide various functionalities of use or adaptation of the vocabulary. In use, speakers build their messages by sequentially pointing to the pictograms, which is significantly much slower than natural speaking. Moreover, most of the vocabularies and organisations were conceived for a given language and later on translated into another language, which questions the optimisation of the vocabulary. Our

Authors' address: Lucie Chasseur; Marion Dohen; Benjamin Lecouteux; Sébastien Riou; Amélie Rochet-Capellan; Didier Schwab, Laboratoire d'Informatique de Grenoble, Grenoble, France, Université Grenoble Alpes, CNRS, Grenoble INP, Gipsa-lab, Grenoble, France.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2020 Association for Computing Machinery.

XXXX-XXXX/2020/7-ART \$15.00

<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

aim is to objectively quantify the temporal efficiency of this type of Augmentative and Alternative Communication tool for a given language by estimating the temporal cost of the production of frequent sentences.

This article will begin by putting AAC in perspective through a table of pictograms and its limitations, then we will explain the method we have adopted and finally we will end with an example of applications of our tool.

2 PICTOGRAMS GRID COMMUNICATION SYSTEMS

Augmentative and Alternative Communication (AAC) is defined by the National Joint Committee of the American Speech-Language-Hearing Association as: "multiple ways to communicate that can supplement or compensate (either temporarily or permanently) for the impairment and disability patterns of individuals with severe expressive communication disorders". As put forward by Beukelman and Mirenda (2017): "The ultimate goal of AAC...[is] to enable individuals to engage efficiently and effectively in a variety of interactions and to participate in the activities of their choice." [2].

There are a lot of different types of AAC tools among which pictogram grids. The latter are based on grids consisting of various numbers of pictograms representing words, which the person can point at to form utterances. In most cases, the software includes a "vocabulary"; consisting of a set of words associated with pictograms for a given language. Pictograms are then organized into pages of two-dimensional tables. This organization differs between tools focusing either on lexical, pragmatic or syntactic constraints. Users build their messages by sequentially pointing to the pictograms. One can easily understand that this results in much slower productions than in natural speaking. In this study, our aim was to design a system able to objectively quantify the production cost of basic utterances using an AAC pictogram grid based tool. Such a system could then be used to compare production costs from one system to another.

Today, a lot of pictogram-based AAC tools are available but very few tools are developed in French or for French (our target language). They are mainly based on the syntax of the language in which they are developed and then simply translated into French. This questions the optimization of the tools for French. Between Makaton, PECS, PODD, Coghamo, Proloquo2Go, SnapCore First, etc. families and healthcare professionals can have a hard time finding what they need. No scientific studies on their usability and efficiency have been conducted. This is partly why we wanted to provide a way to objectively compare the tools from a production cost point of view.

3 MOTOR PRODUCTION COST AND METHODOLOGY

In order to have a first glimpse of what the evaluation of an AAC tool can be, we have chosen to materialise the motor production cost. We define the motor production cost by the minimal number of actions needed by someone to compose a message with a Pictogram Grid Communication System. To be able to automatically compute it whatever the message (phrase, sentence, text, corpus,...), we need a mathematical representation, the straightforward one is a directed weighted graph. (or arcs)

3.1 PGCS representation and interaction

PGCS are represented as a group of various grids. In each of these grids we can find pictograms expressing ideas, concept, words or phrases which we can be used form sentences or texts. In addition to these pictograms, some buttons, defining categories or actions, are used to navigate between the grids. For the representation of these grid-to-grid links, and for the rest of the PGCS architecture, we designed an open format (the *interaaction group open format*) allowing us to precisely describe each of the grids of the PGCS, and each of the items composing the grids. This

format is used in an open PGCS software developed in the team but outside of the scope of this article¹.

Interactions with PGCS are heterogeneous, they can occur through touch, gaze tracking, buttons, etc. All interactions don't have the same cost for selection or displacements. For instance touch can be short or long, gaze tracking often uses dwell interaction[3, 8] so that a pictogram is selected when gaze stays on it during a certain time, ...for selection while displacement cost is low for gaze and quite long for button interaction. Hence while we can consider for instance that the cost of a simple touch is one, the cost of gaze interaction will be based on dwell time. These costs depend on user abilities, for instance with strong cognitive difficulties (apraxia for instance).

We note n as the cost of the interaction for selection, m the cost of interaction for displacement.

3.2 Graph representation

Mathematically, a graph is a pair $G = (N, E)$, where N is a set whose elements are called nodes, and E is a set of edges (or arcs) which link nodes together. In a directed graph, edges have a one-way direction. When the graph is weighted, edges have a weight. Directed weighted graphs are commonly used to represent distances between towns for instance and here we use them in order to represent cost between two pictograms or pages in a pictogram grid communication system.

3.2.1 *Nodes.* To form the nodes, we manually created a list of the tool's pictograms. We assigned a unique identifier to all the pages and all the pictograms. It is composed of three parts: The word associated to the pictogram, an @ and the name of the page containing the pictogram. So if we want to give an identifier to the "I" pictogram on the "home" page to create a node, we use: "I@home".

3.2.2 *Edges and weight.* Besides, we created the edges of the graph. To go from one page to another, on all PGCS we study, only one action is needed, in this case, the corresponding cost is n ($1 \times n$) where n is the cost of the interaction to select (see section 3.1).

For the cost between pictograms on the same page, it depends on distance between the pictograms. Hence, the cost between pictogram P_1 and pictogram P_2 is $D(P_1, P_2)m$ where $D(P_1, P_2)$ is the distance between P_1 and P_2 where m is the cost of interaction for displacement. On the figure 1, the cost to go from A to D is $3m$, while it is $4m$ between A and B and $2.24m$ between A and C.




Fig. 1. Diagram of the arcs and their distances

3.3 Extraction of the shortest path

Revoir si le temps

¹AugCom github website <https://github.com/GazePlay/AugCom>

In this part the system takes as input a written text read line by line. For each line, it scans the path and draws up a list of potential "candidate path" per word pair. For example, if we take the sentence "I want to play", the system will list all the possible arcs to go from the word "I" of any page to the word "want" of the same page or any other page. We will then have a list of arcs of the type (I@pageA,want@pageB) with a given weight. These arcs will be kept in memory in a list and we will continue with the pair of words "play" and "to", so on until the end of the sentence. At the end a new graph can be created with this list, containing only the words of the sentence, a Dijkstra algorithm can then be applied in order to find the shortest path.

3.4 Corpus

A corpus is a collection of documents used for a specific research purpose. We choose to use the corpus ESLO 2 (Sociolinguistic Survey in Orleans) [?]. This one includes about 400 hours of oral speech in different social situations. These transcribed speech hours will therefore be used as reference sentences to compare the different production costs between the PGCS. Using this corpus allows us to have a wide choice in our sentence selections. Indeed, we are not reduced to conversations between adults we can also select sentences from parents to children. The use of this child's speech is a definite advantage for testing the PGCSs that are directly addressed to them.

4 APPLICATIONS

To illustrate our method we use here the sentence : *I want to go to the park* or more precisely *I want go park* which is not grammatically correct but closer of what is often done with PGCS. Indeed, user often wants to create a sentence quickly which does not necessarily make grammatically correct sentences. The shortest path given by the system for this sentence is the following one: ['**home**', '**I@home**', '**want@home**', '**go@home**', '**places_r@home**', '**places**', '**park@places**']

Following the method the cost is $3m + 3n$ where n is the cost of the interaction for selection and m is the cost of interaction for displacement.

For a user with no particular problem and using touch ($m = 1$ and $n = 1$), the cost for the composition of this message is 6 while it is 18 for a user with no particular problem using eye-tracking with a little dwell interaction ($m = 0$, $n = 6$) and 75 for a user with dyspraxia and a higher dwell interaction time ($m = 5$, $n = 20$).

All code is open source and permits to compute this code for any PGCS in the Interaction Group Open format and is available on GitHub². We intend to continue to develop this project and to introduce new metrics and corpus.

5 CONCLUSION & PERSPECTIVES

The lack of standards, and methods to evaluate the layout of PGCS makes the design of AAC tools hard to improve and hard to correctly suit to the targeted population.

Our system offers a possible opening on the evaluation of PGCS. Indeed, our system is able to calculate the cost of a message from a correctly described tool. It also makes it possible to find the shortest path to reach a pictogram.

We hope that our evaluation system will initially allow us to optimise sentence production and the usability of the tools in context. In addition, we want parents, speech and language therapists and users to have a real means of comparing the effectiveness of the tools whatever the reason for their use.

²<https://github.com/GazePlay/Pictogram-Grid-Communication-Systems-Evaluator>

REFERENCES

- [1] Lotfi Abouda and Marie Skrovec. [n.d.]. Pour une micro-diachronie de l'oral : le corpus ESLO-MD. 46 ([n. d.]), 11004. <https://doi.org/10.1051/shsconf/20184611004>
- [2] David R. BEUKELMAN and Pat MIRENDA. [n.d.]. *Communication alternative et améliorée Aider les enfants et les adultes avec des difficultés de communication*.
- [3] P. Majorante C. Stephanidis. [n.d.]. *The Universal Access Handbook*. CRC Press, Chapter 36, 1–20.
- [4] Elisabeth CATAIX-NEGRE. [n.d.]. *Communiquer autrement, Accompagner les personnes avec des troubles de la parole ou du langage*.
- [5] Dominique CRUNELLE. [n.d.]. *Évaluer et faciliter la communication des personnes en situation de handicap complexe Polyhandicap, autisme, AVC, traumatisme crânien, démence, syndrome d'Angelman, syndrome de Rett, autres anomalies génétiques, autisme déficitaire, AVC sévère, traumatisme crânien, démences, ...*
- [6] I. ESHKOL-TARAVELLA, L. KANAAN-CAILLOL, O. BAUDE, C. DUGUA, and D. MAUREL. [n.d.]. Procédure d'anonymisation et traitement automatique : l'expérience d'ESLO. ([n. d.]).
- [7] Agnès Florin. [n.d.]. Les connaissances lexicales des enfants d'école primaire. 8, 1 ([n. d.]), 93–112. <https://doi.org/10.3406/reper.1993.2096> Publisher: Persée - Portail des revues scientifiques en SHS.
- [8] Robert J. K. Jacob. 1991. The Use of Eye Movements in Human-Computer Interaction Techniques: What You Look at is What You Get. *ACM Trans. Inf. Syst.* 9, 2 (April 1991), 152–169. <https://doi.org/10.1145/123078.128728>
- [9] Rochex Jean-Yves. [n.d.]. Barisnikov (Koviljka), dir. et Petitpierre (Geneviève), dir. — Vygotsky. Défectologie et déficience mentale. ([n. d.]), 4.
- [10] Michèle Kail. [n.d.]. *L'acquisition du langage*. <https://www-cairn-info.sidnomade-1.grenet.fr/l-acquisition-du-langage--9782130635338.htm> ISSN: 0768-0066.
- [11] Laurence Lentin. [n.d.]. À propos de l'acquisition du langage. 62, 1 ([n. d.]), 57–77. <https://doi.org/10.3406/raipr.1982.2224> Publisher: Persée - Portail des revues scientifiques en SHS.
- [12] Pat Mirenda. [n.d.]. Promising Innovations in AAC for Individuals With Autism Spectrum Disorders. 18, 4 ([n. d.]), 112–113. <https://doi.org/10.1044/aac18.4.112>
- [13] A. Moorcroft, N. Scarinci, and C. Meyer. [n.d.]. "I've had a love-hate, I mean mostly hate relationship with these PODD books": parent perceptions of how they and their child contributed to AAC rejection and abandonment. ([n. d.]), 1–11. <https://doi.org/10.1080/17483107.2019.1632944>
- [14] MaryAnn Rowski and Rose A. Sevcik. [n.d.]. Augmentative Communication and Early Intervention: Myths and Realities. 18, 3 ([n. d.]), 174–185. <https://doi.org/10.1097/00001163-200507000-00002>